# Product Series Automation glass
Configuration

Configuration

Choose according to your individual requirements:

	XELO	Monitor	SMART Monitor	15,6"	18,5"	21,5"	23,5"	Freie Positionierung	Position P1	Position P2	Position P3
Type				'	'	'	'	'	'	'	'
Display	- - - - - - - - - -								'	'	'
Logo	- -								'		'
RFID	- -								'		
USB 2.0	- -										'
Emergency Stop	- -										✓

Product Series Automation glass
Configuration

Components

We offer the following components for installation in button positions P1 to P8.

Illustration	Control Element	Options
	Pushbutton	Latching / non Latching Colourless, Red, Yellow, Green, Blue, Illumination
	Selector Switch	Latching / non Latching Illumination
	Key Switch	Latching / non Latching
	Pushbutton with protective cap	Non Latching Illumination
	Signalling Element	Colourless, Red, Yellow, Green, Blue

Auswahl Komponenten

Remember, not every option (P1 to P8) needs to be filled.
Please talk to your personal contact about the positioning of your company logo.

	Pushbutton	Selector Switch	Key Switch	Pushbutton with protective cap	Signalling Elem.	Illumination	Colourless	Red	Yellow	Green	Blue
Pos. T1											
Pos. T2											
Pos. T3											
Pos. T4											
Pos. T5											
Pos. T6											
Pos. T7*											
Pos. T8*											

* Not for 15,6"

Product Series Automation glass
Configuration

Choose from the RAFIX 22 FS⁺ product range.

	Pushbutton			Selector Switch					Key Switch				
	Non Latching	Latching		Non Latching		Latching			Non Latching		Latching		
	Flat Bezel			1 x 40°	2 x 40°	1 x 90° Shape V	2 x 60°		1 x 40°	2 x 40°	1 x 90° Shape V	2 x 90°	
Pos. T1				1					1				
Pos. T2				2					2				
Pos. T3				3					3				
Pos. T4				4					4				
Pos. T5				5					5				
Pos. T6				6					6				
Pos. T7*				7					7				
Pos. T8*				8					8				

* Not for 15,6''

From a quantity of 50 per year, you will find further options for pushbuttons, selector switches and key switches in the **RAFIX 22 FS⁺** product range.

https://www.rafi-group.com/rafix/

	Yes	No
Profinet®		
EtherCAT®		

Confirmation
Please sign your decision and return the completed document to us.

Company: Name: Date: Signature:

_____   _____   _____   _____

Disclaimer
Christ Electronic Systems GmbH reserves the right to change the information, designs and technical data contained in this documentation without prior notice, as the products are subject to constant further development. No guaran-tee is given that the data is complete, up-to-date and correct. In this document, all brand names as well as software and hardware designations used are subject to the respective companies, general trademark, brand or patent protection.

Contact
Christ Electronic Systems GmbH
Alpenstraße 34
87700 Memmingen

Phone:
+49 8331 8371-0 (Main Office)
+49 8331 8371-500 (Service)

Mail:
info@christ-es.de

Homepage:
https://www.christ-es.com

© Christ Electronic Systems GmbH