

# Touch-it Monitor Open Frame glass 21,5

## Datasheet

- **Made in Germany**
- **Multitouch**
- **24h/7d – Industrial Grade**
- **Fanless**
- **Long Term Availability**

### PANEL

<b>LCD Size</b>	21.5 inch (54.6 cm)
<b>Resolution</b>	1920 x 1080
<b>Aspect Ratio</b>	16 : 9
<b>Technology</b>	TFT
<b>Colours</b>	16.7M
<b>Backlight</b>	LED
<b>Backlight Life Time</b>	30,000 h
<b>Luminance*</b>	250 cd/m <sup>2</sup>
<b>Contrast Ratio*</b>	3000 : 1
<b>Viewing Angle* (right/left/up/down)</b>	89°/89°/89°/89°
<b>Touch</b>	Projected Capacitive Touch, Anti-Glare, Multitouch

\*The values are referring to the displays only.

### STANDARD INTERFACES

<b>USB</b>	1 x USB Device (Type B, Touch-Control) 2 x USB Host 2.0 (Type A)
<b>Video</b>	1 x DVI-D 1 x HDMI

### OPTIONAL INTERFACES



<b>USB</b>	4 x USB Host 2.0 (Type A, max. Total Current 0.5 A)
------------	---

# Touch-it Monitor Open Frame glass 21,5

## Datasheet

### POWER SUPPLY

<b>Supply Voltage</b>	24 VDC $\pm$ 20%
<b>Power Consumption (max)</b>	33 W
<b>Power Connector</b>	Phoenix 3-pol MC 1,5/ 3-STF-3,5 BK (screwable) / Phoenix 3-pol MC 1,5/ 3-ST-3,5 BK



INTERFACES


### MECHANICAL & ENVIRONMENTAL

<b>Housing Front</b>	Glass, without Frame
<b>Housing</b>	Metallic Cover
<b>Dimensions</b>	529.2 $\pm$ 0.3 mm x 320.7 $\pm$ 0.3 mm x 57.8 mm
<b>Weight</b>	3,8 kg
<b>Cooling</b>	Passive
<b>Operating Temperature</b>	0 ~ 50 °C
<b>Storage Temperature</b>	-10 ~ 70 °C
<b>Humidity</b>	5 ~ 80% (non condensing)
<b>Protection Class</b>	IP65 (IP20 rear)
<b>Certification</b>	CE, EN55022, EN55024, DIN EN ISO 9001

# Touch-it Monitor Open Frame glass 21,5

## Datasheet

### DIMENSIONS



# Touch-it Monitor Open Frame glass 21,5

## Datasheet

### ORDERING INFORMATION

Art. No.:	Optional Interfaces
X	4 x USB
<b>E752116</b>	<input type="checkbox"/>

### DISCLAIMER

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

**CHRIST ELECTRONIC SYSTEMS GMBH**

**MANUFACTURE OF INDUSTRIAL ELECTRONICS**

**CONTACT**

Christ Electronic Systems GmbH  
Alpenstraße 34  
87700 Memmingen  
Phone: +49 8331/ 83710  
[www.christ-es.de](http://www.christ-es.de)

**FROM IDEAS TO REALITY**

We are a German developer and manufacturer of innovative HMI-systems for demanding industrial applications. Christ offers an extensive range of

TOUCH PANEL PCs	x86 & ARM
TOUCH MONITORS	7" – 24"
SINGLE BOARD COMPUTER	Windows & Linux
VISUALISATION SYSTEMS	HMI & SCADA